



Australian Government

**Assessment Requirements for AURVTG012
Remove and install heavy vehicle rubber
and direct glazed windscreens**

Release: 1

Assessment Requirements for AURVTG012 Remove and install heavy vehicle rubber and direct glazed windscreens

Modification History

Release	Comment
Release 1	New unit of competency.

Performance Evidence

Before competency can be determined, individuals must demonstrate they can perform the following according to the standard defined in this unit's elements, performance criteria, range of conditions and foundation skills:

- remove and install windscreens in two different types of heavy vehicles, in which the work must involve:
 - one rubber glazed windscreen
 - one direct glazed windscreen.

Knowledge Evidence

Individuals must be able to demonstrate knowledge of:

- work health and safety (WHS) and occupational health and safety (OHS) requirements relating to removing and installing heavy vehicle rubber and direct glazed windscreens, including procedures for:
 - selecting and using personal protective equipment (PPE)
 - using tools and lifting equipment
 - working at heights using harnesses and scaffolds
 - using safety data sheets (SDS) for primers, activators and adhesives
 - windscreen handling and storage
- environmental requirements, including procedures for trapping, storing and disposing of waste materials and chemicals
- location and content of windscreen supplier or vehicle manufacturer technical specifications and fitting instructions
- removal and installation methods and techniques for heavy vehicle rubber and direct glazed windscreens, including:
 - types of rubber and direct glazed windscreens

- type and use of windscreen specialist tools and equipment
- windscreen handling techniques
- windscreen support systems and work height safety harness equipment
- sealing methods
- adhesive curing times and finishing techniques
- procedures for protecting vehicle and components during removal and installation of windscreens
- procedures for final inspection of fitted heavy vehicle rubber and direct glazed windscreens.

Assessment Conditions

Assessors must satisfy NVR/AQTF assessor requirements.

Competency is to be assessed in the workplace or a simulated environment that accurately reflects performance in a real workplace setting.

Assessment must include direct observation of task.

Where assessment of competency includes third-party evidence, individuals must provide evidence that links them to the heavy vehicle rubber and direct glazed windscreens they have removed and installed, e.g. repair orders.

Assessors must verify performance evidence through questioning on skills and knowledge to ensure correct interpretation and application.

The following resources must be made available:

- automotive glazing workplace, off-site workplace location or simulated workplace
- workplace instructions
- SDS for primers, activators and adhesives
- PPE required to remove and install heavy vehicle rubber and direct glazed windscreens
- safety harnesses and scaffold equipment to remove and install large vehicle windscreens
- heavy vehicle manufacturer and windscreen supplier specifications and fitting instructions
- heavy vehicle rubber and direct glazed windscreens
- two different types of heavy vehicles requiring rubber or direct glazed windscreens to be fitted
- vehicle protection covers
- tools, equipment and materials appropriate for removing and installing heavy vehicle rubber and direct glazed windscreens.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>

Companion Volume implementation guides are found in VETNet -
<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>