

AURVTG012 Remove and install heavy vehicle rubber and direct glazed windscreens

Release: 1

AURVTG012 Remove and install heavy vehicle rubber and direct glazed windscreens

Modification History

Release	Comment
Release 1	New unit of competency.

Application

This unit describes the performance outcomes required to remove and install rubber and urethane glazed heavy vehicle windscreens. It involves preparing for the task, selecting and using specialist tools and equipment, removing the damaged windscreen, cutting a replacement windscreen according to original size, preparing and applying windscreen sealing rubber, applying primers, activators and adhesives according to manufacturer specifications, cleaning and finishing the windscreen, and completing workplace processes and documentation.

It applies to those working in the automotive glazing service and repair industry. The windscreens include those of trucks, buses and coaches.

No licensing, legislative, regulatory or certification requirements apply to this unit at the time of publication.

Competency Field

Vehicle Body

Unit Sector

Technical - Glazing

Elements and Performance Criteria

Elements	Performance Criteria
Elements describe the essential outcomes.	Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold and italicised text is used, further information is detailed in the range of conditions section.
1. Prepare for removal and	1.1 Job requirements are determined from workplace instructions

Approved Page 2 of 5

Elements	Performance Criteria		
Elements describe the essential outcomes.	Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold and italicised text is used, further information is detailed in the range of conditions section.		
installation of heavy vehicle rubber or direct glazed windscreen	1.2 Removal and installation information is accessed and interpreted from windscreen and original equipment manufacturer (OEM) specifications, workplace procedures, and <i>safety data sheets</i> (SDS) 1.3 Work is planned to minimise waste and use time efficiently		
	1.4 Vehicle is inspected to ensure there is no prior damage and that all related accessories are operating correctly		
	1.5 Windscreen and <i>materials</i> are selected according to windscreen and OEM specifications, and are inspected for quality		
	1.6 Hazards associated with the work are identified and risks are managed		
	1.7 <i>Tools and equipment</i> are selected and checked for serviceability1.8 Vehicle is protected and safely located according to workplace procedures		
Remove heavy vehicle rubber or direct glazed windscreen	2.1 Windscreen is removed according to manufacturer specifications, safety and environmental requirements, and without causing damage to vehicle or components		
	2.2 Tools and equipment for windscreen removal and support are used safely and correctly		
	2.3 Equipment required to work safely at heights is used according to manufacturer specifications and workplace procedures		
3. Cut and install heavy vehicle rubber or direct glazed windscreen	3.1 New windscreen is cut, installed, bonded or sealed, and finished according to manufacturer specifications and safety and environmental requirements		
	3.2 Adhesive is cured according to adhesive manufacturer specifications and timeframes, as required		
	3.3 Installation of windscreen is completed according to workplace procedures and safety requirements, and within accepted workplace timeframes		
4. Complete work processes	4.1 Final inspection is made to ensure work meets workplace expectations, related accessories are operating correctly, customer is informed of time to wait before driving vehicle, and vehicle is presented ready for use		
	4.2 Work area is cleaned, waste and non-recyclable materials are disposed of, and recyclable material is collected and stored4.3 Tools and equipment are checked, reported if faulty, and stored		
	according to workplace procedures 4.4 Workplace documentation is processed according to workplace		

Approved Page 3 of 5

Elements	Performance Criteria
Elements describe the essential outcomes.	Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold and italicised text is used, further information is detailed in the range of conditions section.
	procedures

Foundation Skills

This section describes those language, literacy, numeracy and employment skills that are essential to performance and are not explicit in the performance criteria.

Skills	Description		
Learning skills to:	locate appropriate sources of information efficiently.		
Writing skills to:	legibly and accurately fill out workplace documentation.		
Oral communication skills to:	clarify instructions and procedures		
	clearly report issues or outcomes.		
Numeracy skills to:	use basic mathematical operations, including addition and subtraction, to calculate:		
	cutting and fitting dimensions		
	 quantities of required materials. 		
Planning and organising skills to:	plan own work requirements and prioritise actions to achieve required outcomes and ensure tasks are completed within workplace timeframes.		
Problem solving skills to:	identify quality issues and potential problems associated with removing and installing heavy vehicle rubber and direct glazed windscreens.		
Technology skills to:	use specialist removal and installation equipment.		

Range of Conditions

This section specifies work environments and conditions that may affect performance. Essential operating conditions that may be present (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) are included. Bold italicised wording, if used in the performance criteria, is detailed below.

Safety data sheets must	•	primers
include those relating to:	•	activators

Approved Page 4 of 5

	adhesives.	
Materials must include:	rubber glazing materials, including:	
	 rubber sections 	
	 sealants 	
	direct glazing materials, including:	
	 adhesives 	
	• activators	
	• primers	
	cleaning materials.	
Tools and equipment must	personal protective equipment (PPE)	
include:	application equipment for adhesives and sealants	
	specialist tools and equipment for:	
	 removing and installing heavy vehicle windscreens 	
	 measuring and cutting replacement windscreens 	
	lifting assistance tools to help install windscreens	
	safety harnesses and scaffolds for working at heights.	
Safety and environmental requirements must include:	work health and safety (WHS) and occupational health and s (OHS) requirements, including procedures for:	afety
	 selecting and using PPE 	
	 using tools and lifting equipment 	
	 working at heights using harnesses and scaffolds 	
	 using SDS for primers, activators and adhesives 	
	 windscreen handling and storage 	
	environmental requirements, including procedures for trappir storing and disposing of waste materials and chemicals.	ıg,

Unit Mapping Information

Equivalent to AURVTG3012 Remove and install heavy vehicle rubber and urethane glazed windscreens

Links

 $\label{lem:companion} \begin{tabular}{ll} Companion Volume implementation guides are found in VETNet - $$ $$ \underline{https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-7804 $$ $$ 5ec695b1 $$ \end{tabular}$

Approved Page 5 of 5