



**Australian Government**

**Assessment Requirements for AURVTP016  
Rectify and touch up vehicle direct gloss  
paint faults using two-pack systems**

**Release: 1**

# Assessment Requirements for AURVTP016 Rectify and touch up vehicle direct gloss paint faults using two-pack systems

## Modification History

Release	Comment
Release 1	New unit of competency.

## Performance Evidence

Before competency can be determined, individuals must demonstrate they can perform the following according to the standard defined in this unit's elements, performance criteria, range of conditions and foundation skills:

- rectify and touch up faults in the direct gloss paint of three different vehicles using two-pack systems, including:
  - using partial blend and fade-out blend on one vehicle
  - blending and clearing panels on one vehicle.

## Knowledge Evidence

Individuals must be able to demonstrate knowledge of:

- work health and safety (WHS) and occupational health and safety (OHS) requirements relating to rectifying and touching up vehicle direct gloss paint faults using two-pack systems, including procedures for:
  - selecting and using personal protective equipment (PPE)
  - using technical data sheets (TDS) and safety data sheets (SDS) for direct gloss two-pack paint
  - handling and storing paint materials
  - using tools and equipment
  - using approved drying area
- environmental requirements, including procedures for trapping, storing and disposing of waste materials
- paint manufacturer specifications
- types and features of direct gloss materials
  - types and use of painting equipment, including:
  - types of spray guns and maintenance requirements

- spray gun set-up, use and maintenance
- correct use of positive air feed masks
- paint rectification and touch-up techniques and procedures, including:
  - identifying paint surface faults
  - surface preparation methods
  - paint mixing procedures
  - direct gloss paint application methods and techniques
  - paint drying methods for direct gloss materials
- procedures for protecting vehicle and components when touching up paint faults
- procedures for final inspection of paint rectification and touch-up work using direct gloss two-pack systems.

## Assessment Conditions

Assessors must satisfy NVR/AQTF assessor requirements.

Competency is to be assessed in the workplace or a simulated environment that accurately reflects performance in a real workplace setting.

Assessment must include direct observation of task.

Where assessment of competency includes third-party evidence, individuals must provide evidence that links them to vehicle paintwork they have rectified using direct gloss two-pack materials, e.g. repair orders.

Assessors must verify performance evidence through questioning on skills and knowledge to ensure correct interpretation and application.

The following resources must be made available:

- automotive repair workplace or simulated workplace
- workplace instructions
- TDS and SDS for direct gloss two-pack paint
- PPE required to rectify paintwork using direct gloss two-pack paint systems
- direct gloss refinishing materials
- three different vehicles requiring paint rectification and touch-up using direct gloss two-pack refinishing
- tools, equipment and materials appropriate for rectifying and touching up paint faults using direct gloss two-pack paint.

## Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>

Companion Volume implementation guides are found in VETNet -

<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>

