



Australian Government

**Assessment Requirements for AURVTP017
Rectify and touch up vehicle paint faults
using clear over base two-pack systems**

Release: 1

Assessment Requirements for AURVTP017 Rectify and touch up vehicle paint faults using clear over base two-pack systems

Modification History

Release	Comment
Release 1	New unit of competency.

Performance Evidence

Before competency can be determined, individuals must demonstrate they can perform the following according to the standard defined in this unit's elements, performance criteria, range of conditions and foundation skills:

- rectify and touch up faults on three different vehicles using clear over base (COB) two-pack paint materials, including:
 - using partial blend and fade-out blend on one vehicle
 - blending and clearing panels on one vehicle.

Knowledge Evidence

Individuals must be able to demonstrate knowledge of:

- work health and safety (WHS) and occupational health and safety (OHS) requirements relating to rectifying and touching up vehicle paint faults using clear over base two-pack systems, including procedures for:
 - selecting and using personal protective equipment (PPE)
 - using technical data sheets (TDS) and safety data sheets (SDS) for COB two-pack paint
 - handling and storing paint materials
 - using tools and equipment
- environmental requirements, including procedures for trapping, storing and disposing of waste materials
- paint manufacturer specifications and paint codes
- types and features of two-pack paint materials
- types and use of painting equipment, including:
 - types of spray guns and maintenance requirements
 - spray gun set-up, use and maintenance

- correct use of positive air feed masks
- using approved drying area
- paint rectification and touch-up techniques and procedures, including:
 - identifying paint surface faults
 - surface preparation methods
 - paint mixing procedures
 - COB two-pack paint application methods
 - paint drying methods
- procedures for protecting vehicle and components when rectifying and touching up paint
- procedures for final inspection of paint rectification and touch-up work using COB two-pack systems.

Assessment Conditions

Assessors must satisfy NVR/AQTF assessor requirements.

Competency is to be assessed in the workplace or a simulated environment that accurately reflects performance in a real workplace setting.

Assessment must include direct observation of task.

Where assessment of competency includes third-party evidence, individuals must provide evidence that links them to vehicle paintwork they have rectified using COB two-pack systems, e.g. repair orders.

Assessors must verify performance evidence through questioning on skills and knowledge to ensure correct interpretation and application.

The following resources must be made available:

- automotive repair workplace or simulated workplace
- workplace instructions
- TDS and SDS for COB two-pack paint
- vehicle paint codes and specifications
- PPE required to rectify COB two-pack paint
- materials required to rectify and touch up COB two-pack paint
- three different vehicles requiring COB two-pack paint rectification and touch-up
- tools, equipment and materials appropriate for rectifying and touching up paint faults using COB two-pack systems.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>

Companion Volume implementation guides are found in VETNet -

<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>

